wherein the at least one processor is configured to re-process individual, failed segments after deactivating and reinitializing the individual, failed segment with corresponding data retrieved from the at least one memory circuit.

- 10. (New) The apparatus of claim 9 wherein at least one discrete event of the plurality of discrete events is a customer account and the at least one processor is configured to determine billing information for the customer account.
- (New) The apparatus of claim 10 wherein the at least one processor is configured to generate an invoice for the customer account after processing the customer account.
- 12. (New) The apparatus of claim 9 wherein at least one discrete event of the plurality of discrete events is a customer account and at least one independent sub-event of the discrete event comprises one or more customer calls.
- 13. (New) The apparatus of claim 9 wherein the at least one processor is included in one of a symmetrical multiprocessing system, a massively parallel processing system, and a loosely coupled distributed processing system.
- 14. (New) The apparatus of claim 9 wherein the number of segments is at least partially based on a number of processors included in the at least one processor.
- 15. (New) The apparatus of claim 9 wherein the size of individual segments is at least partially based on a number of customer accounts being processed.
- 16. (New) The apparatus of claim 15, wherein parent and child customer accounts are associated with the same segment and the size of the segment is partially based on the association.
- 17. (New) A method of processing a plurality of discrete events, individual discrete events of the plurality of discrete events comprising a plurality of independent sub-events, the method comprising:

